

# Racing Scooter 4T SAE 10W-40 (Four-Stroke Racing Scooter SAE 10W-40)

## DESCRIPTION

Four-Stroke Racing Scooter SAE 10W-40 is a mineral-based engine oil developed for use in two-wheeler, four-stroke, high-performance engines for motor scooters and road and racing machines. The specially selected base oils and high-quality additives satisfy and exceed the requirements of the most state-of-the-art engine designs.

## PROPERTIES

- optimum lubrication under extreme conditions
- high shear and ageing stability
- low evaporation loss and oil consumption
- good wear protection
- miscible and compatible with commercially available engine oils.
- tried and tested with exhaust catalytic converters
- suitable for wet clutches

Corresponds to and fulfils the following classifications and specifications:

API SG/SJ  
ACEA A3-04

## TECHNICAL DATA

Viscosity class	: 10W-40
ASTM colour	: 3.0
Basis	: base oils/additives
Viscosity at 40 °C	: 100 mm <sup>2</sup> /s
Viscosity at 100 °C	: 14.2 mm <sup>2</sup> /s
Viscosity index	: 145
Flash point	: 210 °C
Pour point	: -30 °C
Ash, Sulphate	: 1.4 g/100g

## APPLICATION

The optimum for high-load, two-wheel, four-stroke motorbikes, motor scooters and racing machines.

## INSTRUCTIONS

The operating instructions of the engine manufacturer must be followed. Miscible with commercially available engine oils. Fully effective only when used alone.

## AVAILABLE PACK SIZE

Four Stroke Racing Scooter SAE 10W-40	1 l	Part no. 1618
--	-----	---------------

PI 04/03/10

**Our information is based on thorough research and may be considered reliable, although not legally binding.**